Severe Morning Sickness (Hyperemesis Gravidarum)

Upset stomach (nausea) and vomiting are common in pregnancy. It is often called morning sickness. But it can happen at any time of day. Severe nausea and vomiting that doesn't let up is not normal. This is known as hyperemesis gravidarum. It can cause too much fluid loss (dehydration). And it can cause a lot of weight loss. This can be dangerous for the mother and baby. If you have it, your healthcare provider can treat you. This is done to keep you and your baby safe. They can also help you get some relief.

Symptoms of severe morning sickness

Call your healthcare provider if you have symptoms like these:

- Unable to keep down liquids
- Severe nausea beyond the first few months of pregnancy
- Unable to empty your bladder
- Urine that is dark and in small amounts
- Dizziness or fainting

What causes severe morning sickness?

Morning sickness may be caused by an increase in some hormone levels. It is not clear why it's more severe in some people. It may be more likely if you are carrying twins or more. You may need some tests. These are to check for other health conditions that can cause severe nausea and vomiting.

Getting relief from morning sickness

To help reduce nausea:

- Eat small amounts of food often. An empty stomach can make nausea worse.
- Choose dry foods such as crackers.
- Try sipping cold, clear drinks.
- Take ginger, if your healthcare provider advises.
- Your provider may advise that you try vitamin B-6 and a medicine called doxylamine. These can help to ease the nausea.
- Try acupuncture. In some cases, it can help manage nausea.

© Krames Page 1 of 3



Treating severe morning sickness

The focus of treatment for severe morning sickness is to:

- Ease your symptoms
- Prevent weight loss
- Prevent too much fluid loss (dehydration)

If you are dehydrated or losing weight, you may need to be in the hospital for a short time. You will have IV (intravenous) fluids. This is to replace lost fluids. You may be given medicines that ease nausea. In very severe cases, you may need more time in the hospital. You may need IV nutrition or tube feeding. If you need these, your healthcare provider will tell you more.

Recovery and follow-up

With treatment, severe morning sickness can be managed. Follow up with your healthcare provider. They want to make sure you are keeping down fluids. They need to check that you're gaining a healthy amount of weight.

When to get medical care

Call your healthcare provider right away if you have any of these:

© Krames Page 2 of 3

- Signs of dehydration (see below)
- Weight loss
- Dizziness or fainting
- Racing or pounding heart
- Blood in your vomit

Signs of dehydration include:

- Extreme thirst
- Headache
- Small amounts of urine
- Very dark urine
- A dry, sticky mouth

© Krames Page 3 of 3